



Variacs

Manual Regulator



KHADIGA

VARIAC

Single and Three Phase

TDGC2 TSGC2 SERIES CONTACT VOLTAGE REGULATOR

The product is characterized of non-lack fidelity, small size, light weight, high efficiency, convenient use, reliable and durable operation, and can be widely used in industry such as chemical, metallurgical, meter and instrument, mechanical and electrical manufacture, light industry, as well as in scientific experiments, public utility, domestic electrical appliances, voltage, speed or light adjust and temperature or power control. It is an ideal adjustable A.C. power sources.



TECHNICAL SPECIFICATION

Model	External Forms and Installation								Size(mm)	Weight
	L2	L1	H	H	h	Ø	d	D	R	Kgs
TDGC2-0.2	130	115	125	90	23	100	4	8		2.2
TDGC2-0.5	150	132	136	98	23	116	4	8		3.5
TDGC2-1	207	182	158	120	30	156	5	12		6.1
TDGC2-2	207	822	190	140	30	156	5	12		8.3
TDGC2-3	235	1210	198	140	36	190	6	12		11
TDGC2-4	272	245	248	182	36	218	8	16		13.5
TDGC2-5	272	245	248	182	36	218	8	16		15.5
TDGC2-7	350	320	262	192	36	290	8	16		24
TDGC2-10	350	320	262	192	36	290	8	16		27
TDGC2-15	395	320	505	420	36		10	16	172.5	51
TDGC2-20	395	320	505	420	36		10	16	172.5	57
TSGC2-3	207	182	450	396	36		8	12	92	19
TSGC2-6	207	182	558	490	36		8	12	92	26
TSGC2-9	235	210	567	490	36		8	12	112	33
TSGC2-12	272	245	681	616	36		10	16	131	44
TSGC2-15	272	245	681	616	36		10	16	131	49
TSGC2-20	350	320	730	645	36		10	16	172.5	74
TSGC2-30	350	320	730	645	36		10	16	172.5	
TSGC2-50	350	320	730	645	36		10	16	172.5	180